

Subject Index

Volume 69 (1994)

- N-acylphosphatidylethanolamines, hydrogen bonding, headgroup size, differential scanning calorimetry, ³¹P-NMR spectroscopy, Fourier transform infrared spectroscopy, 229 anthrylvinyl-labeled phosphatidylcholine, fluorescence anisotropy, 1,6-diphenyl-1,3,5-hexatriene (DPH), 209
- antioxidant, autoxidation, α-tocopherol, ubiquinol, azothermal initiator, lipid vesicles, 87
- autoxidation, antioxidant, α-tocopherol, ubiquinol, azothermal initiator, lipid vesicles, 87
- azothermal initiator, autoxidation, antioxidant, α -tocopherol, ubiquinol, lipid vesicles, 87
- band 3, interdigitated lipid bilayer, DPPG, DMPC, DSC, polymyxin B, 241
- binding, Dibac₄(3), membrane potential, dissociation constants, lifetimes, 137
- calorimetry, liposomes, phase transitions, Synchrotron X-ray, dilauroylphosphatidylcholine, 129
- cerebroside(s), sulfatide, microstructure, tubule, cylinder, nonaqueous, 51
- chiral discrimination, Langmuir monolayer, fluorescence microscopy, 41
- chiral pool, synthetic phospholipids, phospholipid analogues, synthesis, isopropylidene-glyceraldehyde, optical purity, Mitsunobu reaction, 105
- cholesterol, mevalonate, glycosylsterols, gangliosides, 167
- correlated spectroscopy, polymerizable phospholipid, nuclear magnetic resonance, lipid conformation, tubules, 161 cutin, dihydroxystearic acids, high-performance liquid chromatography, stereochemical analysis, 121
- cylinder, cerebroside(s), sulfatide, microstructure, tubule, nonaqueous, 51
- DHA, high-resolution ¹³C-NMR, EPA, olefinic carbons, spinlattice relaxation times, *Thunnus alalunga* triacylglycerols and methyl esters, 65
- diacetylene, Raman spectroscopy, lipids, order, trans conformation, molecular probes, 251
- Dibac₄(3), membrane potential, dissociation constants, binding, lifetimes, 137
- differential scanning calorimetry, N-acylphosphatidylethanolamines, hydrogen bonding, headgroup size, 31P-NMR spectroscopy, Fourier transform infrared spectroscopy, 229

- diffusion, vesicle, trapping, phospholipid, DOSY, NMR, 175 dihydroxystearic acids, cutin, high-performance liquid chromatography, stereochemical analysis, 121
- dilauroylphosphatidylcholine, liposomes, phase transitions, Synchrotron X-ray, calorimetry, 129
- 1,6-diphenyl-1,3,5-hexatriene (DPH), fluorescence anisotropy, anthrylvinyl-labeled phosphatidylcholine, 209
- dissociation constants, Dibac₄(3), membrane potential, binding, lifetimes, 137
- DMPC, interdigitated lipid bilayer, DPPG, band 3, DSC, polymyxin B, 241
- DOSY, vesicle, diffusion, trapping, phospholipid, NMR, 175 DPPG, interdigitated lipid bilayer, DMPC, band 3, DSC, polymyxin B, 241
- DSC, interdigitated lipid bilayer, DPPG, DMPC, band 3, polymyxin B, 241
- EPA, high-resolution ¹³C-NMR, DHA, olefinic carbons, spinlattice relaxation times, *Thunnus alalunga* triacylglycerols and methyl esters, 65
- fluorescence, NBD-dioleoylglycerol, phospholipid vesicles, 75 fluorescence anisotropy, anthrylvinyl-labeled phosphatidylcholine, 1,6-diphenyl-1,3,5-hexatriene (DPH), 209
- fluorescence microscopy, Langmuir monolayer, chiral discrimination, 41
- fluorescence microscopy, lipid monolayers, mixed phospholipids, lipoteichoic acids, phospholipid domains, 151
- Fourier transform infrared spectroscopy, N-acylphosphatidylethanolamines, hydrogen bonding, headgroup size, differential scanning calorimetry, 31P-NMR spectroscopy, 229
- free radical scavenging, tocopherol, superoxide anion, lipid peroxidation, redox reactions, 35
- FTIR spectroscopy, linear dichroism, lamellar phase, reversed micellar phase, phase transition, 219
- ganglioside aggregates, gangliosides, hydroxy fatty acid, 95 gangliosides, hydroxy fatty acid, ganglioside aggregates, 95 gangliosides, mevalonate, cholesterol, glycosylsterols, 167
- glycoglycerolipid, mesophase, phase transition, polymorphism, LIPIDAT, 181
- glycosylsterols, mevalonate, cholesterol, gangliosides, 167
- headgroup size, N-acylphosphatidylethanolamines. hydrogen bonding, differential scanning calorimetry, 31P-NMR spectroscopy, Fourier transform infrared spectroscopy, 229

high-performance liquid chromatography, cutin, dihydroxystearic acids, stereochemical analysis, 121

high-resolution ¹³C-NMR, DHA, EPA, olefinic carbons, spinlattice relaxation times, *Thunnus alalunga* triacylglycerols and methyl esters, 65

hydrogen bonding, N-acylphosphatidylethanolamines, headgroup size, differential scanning calorimetry, 31P-NMR spectroscopy, Fourier transform infrared spectroscopy, 229 hydroxy fatty acid, gangliosides, ganglioside aggregates, 95

interdigitated lipid bilayer, DPPG, DMPC, band 3, DSC, polymyxin B, 241

isopropylidene-glyceraldehyde, synthetic phospholipids, phospholipid analogues, synthesis, chiral pool, optical purity, Mitsunobu reaction, 105

lamellar phase, FTIR spectroscopy, linear dichroism, reversed micellar phase, phase transition, 219

Langmuir monolayer, fluorescence microscopy, chiral discrimination, 41

lifetimes, Dibac₄(3), membrane potential, dissociation constants, binding, 137

linear dichroism, FTIR spectroscopy, lamellar phase, reversed micellar phase, phase transition, 219

lipid conformation, polymerizable phospholipid, nuclear magnetic resonance, correlated spectroscopy, tubules, 161

lipid monolayers, mixed phospholipids, fluorescence microscopy, lipoteichoic acids, phospholipid domains, 151

lipid peroxidation, tocopherol, superoxide anion, free radical scavenging, redox reactions, 35

lipid vesicles, autoxidation, antioxidant, α -tocopherol, ubiquinol, azothermal initiator, 87

LIPIDAT, glycoglycerolipid, mesophase, phase transition, polymorphism, 181

LIPIDAT, phosphatidylethanolamine, phospholipid, mesophase, phase transition, polymorphism, 1

lipids, Raman spectroscopy, diacetylene, order, trans conformation, molecular probes, 251

liposomes, phase transitions, Synchrotron X-ray, dilauroylphosphatidylcholine, calorimetry, 129

lipoteichoic acids, lipid monolayers, mixed phospholipids, fluorescence microscopy, phospholipid domains, 151

membrane potential, Dibac₄(3), dissociation constants, binding, lifetimes, 137

mesophase, glycoglycerolipid, phase transition, polymorphism, LIPIDAT, 181

mesophase, phosphatidylethanolamine, phospholipid, phase transition, polymorphism, LIPIDAT, 1

mevalonate, cholesterol, glycosylsterols, gangliosides, 167 microstructure, cerebroside(s), sulfatide, tubule, cylinder, nonaqueous, 51

Mitsunobu reaction, synthetic phospholipids, phospholipid analogues, synthesis, chiral pool, isopropylidene-glyceraldehyde, optical purity, 105

mixed phospholipids, lipid monolayers, fluorescence microscopy, lipoteichoic acids, phospholipid domains, 151 molecular probes, Raman spectroscopy, lipids, diacetylene, order, trans conformation, 251

NBD-dioleoylglycerol, phospholipid vesicles, fluorescence, 75 NMR, vesicle, diffusion, trapping, phospholipid, DOSY, 175 non-aqueous, cerebroside(s), sulfatide, microstructure, tubule, cylinder, 51

nuclear magnetic resonance, polymerizable phospholipid, correlated spectroscopy, lipid conformation, tubules, 161

olefinic carbons, high-resolution ¹³C-NMR, DHA, EPA, spinlattice relaxation times, *Thumus alahunga* triacylglycerols and methyl esters, 65

optical purity, synthetic phospholipids, phospholipid analogues, synthesis, chiral pool, isopropylidene-glyceraldehyde, Mitsunobu reaction, 105

order, Raman spectroscopy, lipids, diacetylene, trans conformation, molecular probes, 251

³¹P-NMR spectroscopy, N-acylphosphatidylethanolamines, hydrogen bonding, headgroup size, differential scanning calorimetry, Fourier transform infrared spectroscopy, 229

phase transition, FTIR spectroscopy, linear dichroism, lamellar phase, reversed micellar phase, 219

phase transition, glycoglycerolipid, mesophase, polymorphism, LIPIDAT, 181

phase transition, phosphatidylethanolamine, phospholipid, mesophase, polymorphism, LIPIDAT, 1

phase transitions, liposomes, Synchrotron X-ray, dilauroylphosphatidylcholine, calorimetry, 129

phosphatidylethanolamine, phospholipid, mesophase, phase transition, polymorphism, LIPIDAT, 1

phospholipid, phosphatidylethanolamine, mesophase, phase transition, polymorphism, LIPIDAT, 1

phospholipid, vesicle, diffusion, trapping, DOSY, NMR, 175 phospholipid analogues, synthetic phospholipids, synthesis, chiral pool, isopropylidene-glyceraldehyde, optical purity, Mitsunobu reaction, 105

phospholipid domains, lipid monolayers, mixed phospholipids, fluorescence microscopy, lipoteichoic acids, 151

phospholipid vesicles, NBD-dioleoylglycerol, fluorescence, 75 polymerizable phospholipid, nuclear magnetic resonance, correlated spectroscopy, lipid conformation, tubules, 161

polymorphism, glycoglycerolipid, mesophase, phase transition, LIPIDAT, 181

polymorphism, phosphatidylethanolamine, phospholipid, mesophase, phase transition, LIPIDAT, I

polymyxin B, interdigitated lipid bilayer, DPPG, DMPC, band 3, DSC, 241

Raman spectroscopy, lipids, diacetylene, order, trans conformation, molecular probes, 251

redox reactions, tocopherol, superoxide anion, free radical scavenging, lipid peroxidation, 35

reversed micellar phase, FTIR spectroscopy, linear dichroism, lamellar phase, phase transition, 219

spin-lattice relaxation times, high-resolution ¹³C-NMR, DHA,

- EPA, olefinic carbons, *Thunnus alalunga* triacylglycerols and methyl esters, 65
- stereochemical analysis, cutin, dihydroxystearic acids, highperformance liquid chromatography, 121
- sulfatide, cerebroside(s), microstructure, tubule, cylinder, nonaqueous, 51
- superoxide anion, tocopherol, free radical scavenging, lipid peroxidation, redox reactions, 35
- Synchrotron X-ray, liposomes, phase transitions, dilauroylphosphatidylcholine, calorimetry, 129
- synthesis, synthetic phospholipids, phospholipid analogues, chiral pool, isopropylidene-glyceraldehyde, optical purity, Mitsunobu reaction, 105
- synthetic phospholipids, phospholipid analogues, synthesis, chiral pool, isopropylidene-glyceraldehyde, optical purity, Mitsunobu reaction, 105

- Thunnus alahunga triacylglycerols and methyl esters, highresolution ¹³C-NMR, DHA, EPA, olefinic carbons, spinlattice relaxation times, 65
- α-tocopherol, autoxidation, antioxidant, ubiquinol, azothermal initiator, lipid vesicles, 87
- tocopherol, superoxide anion, free radical scavenging, lipid peroxidation, redox reactions, 35
- trans conformation, Raman spectroscopy, lipids, diacetylene, order, molecular probes, 251
- trapping, vesicle, diffusion, phospholipid, DOSY, NMR, 175 tubule, cerebroside(s), sulfatide, microstructure, cylinder, nonaqueous, 51
- tubules, polymerizable phospholipid, nuclear magnetic resonance, correlated spectroscopy, lipid conformation, 161
- ubiquinol, autoxidation, antioxidant, α-tocopherol, azothermal initiator, lipid vesicles, 87

vesicle, diffusion, trapping, phospholipid, DOSY, NMR, 175

Author Index

Volume 69 (1994)

Acquotti, D.	95	Hinton, D.P.	175
Addeo, F.	65	Holmgren, A.	219
Africa de Madariaga, M.	229	Hungund, B.L.	167
Allevi, P.	95	Hwang, F.	241
Aranda, F.J.	75		241
Archibald, D.D.	51	Ivanova, M.V.	35
Balasubramanian, S.V.	161	Johnson, Jr., C.S.	175
Bergelson, L.D.	209		
Bradaczek, H.	151	Koynova, R.	1, 181
Caffrey, M.	1, 181	Landi, L.	87
Cantu, L.	95	Lankin, V.Z.	35
Casellato, R.	95	Lindblom, G.	219
Castanho, M.	75	Lu, Jz.	241
Chen, Jw.	241		
Chigorno, V.	95	Mann, S.	51
Cipollone, M.	87	Masserini, M.	95
Corti, M.	95	Massing, U.	105
Coutinho, A.	75	Matuoka, S.	129
		Medina, I.	65
Dayal, B.	167	Milde, K.	151
Dayal, V.K.	67	Möhwald, H.	151
Dmitriev, L.F.	35	Molotkovsky, J.G.	209
Domingo, J.C.	229	Mora, M.	229
Dudley, R.L.	121	Murphy, E.J.	179
Easwaran, K.R.K.	161	Nagumo, M.	251
Eibl, H.	105	Nilsson, A.	219
Epps, D.E.	137		
		Ortiz, A.	75
Finegold, L.	129	Osman, S.F.	121
Fiorentini, D.	87		
		Paolillo, L.	65
Galli, M.C.	87	Polozov, I.V.	209
Gérard, H.C.	121	Prieto, M.J.E.	75
Gómez-Fernández, J.C.	75		
Groppi, V.	137	Sacchi, R.	65
Gutberlet, T.	151	Salen, G.	167
		Schoen, P.E.	251
Haas, H.	151	Sechi, A.M.	87
Hatta, I.	129	Singer, M.A.	129

Singh, A.	161, 251	Uang, J.YJ	41
Sonnet, P.E.	121		
Sonnino, S.	95	Valsecchi, M.	95
Stine, K.J.	41		
		Wang, Py.	241
Tettamanti, G.	95	Whitt, S.A.	41
		Wolfe, M.L.	137

